

PRODUCT CATALOG




keder[®]
SOLUTIONS

BUILDING CONNECTIONS. LASTING RESULTS.

KEDERSOLUTIONS.COM | SALES@KEDERSOLUTIONS.COM | (888) 727-7050

V.26.1



CUSTOMIZED SOLUTIONS

Part of our mission includes streamlining our clients' projects by providing tailored solutions to meet their specific needs. We regularly develop unique accessories and custom extrusions to address complex challenges. If the item you require is not listed in this catalog, please get in touch with us to discuss a customized solution.

ABOUT: KEDER SOLUTIONS®

After years of firsthand experience in the tenting industry, **Keder Solutions** was founded in 2009. At the time, sourcing quality keder had become increasingly difficult, so we set out to change that. What began as a solution to a supply problem quickly grew into something much more.

Keder Solutions is a worldwide leading manufacturer of keder and fabric connection systems. With more than 100 years of combined experience, our team delivers purpose-driven and precise products, dependable inventory, and exceptional customer service, no matter the order size.

Our products are manufactured with consistent quality and fast turnaround. Through our in-house extrusion capabilities, we create custom solutions that meet exact specifications with lower costs and shorter lead times.

From the beginning, our mission has been simple: provide high-quality products with fast turnaround, so our customers can focus on what matters most, their projects. Recognized as InTents Magazine's Best Tent Fabric Supplier, Keder Solutions continues to set the standard for innovation, reliability, and stability. We're proud to help customers simplify their supply chains, improve efficiency, and achieve lasting results.



TABLE OF CONTENTS


What Is Keder, PVC Cord	3
Keder Flap	4
Keder Fabric	5
Fabric & Vinyl	6
Rails	9
Hangers & Hooks	12
Adhesives	15
Accessories	16
Pool	18
Menax® & DriZip™	19
Keder MacroPrint™	20
RiteChoice™ Ducting	22

WHAT IS KEDER?

Keder consists of two key parts: a cord and a fabric. The cord is made of extruded PVC and is then wrapped in a keder fabric. Our Keder Fabrics are designed with exposed fibers to allow the keder to slide more easily into the keder rail. The flap of the keder can then be sewn to your material or welded by heating the inner lining of the keder.

To select the correct keder size, start by measuring the inside diameter of your keder rail or track. The diameter of your keder's cord should be 2-3 mm smaller than your rail. For best results, ensure the keder is large enough not to pull through the rail's opening but is not too tight within the rail. When replacing keder, measure the outside diameter of your old keder's cord.

HOW KEDER WORKS



PVC KEDER CORD

- Sold by the Yard
- PVC Material
- Sizes Available from 2-14 mm.
- See the *Keder Cord Size Chart Below*

KEDER CORD SIZES

Our color-coded Keder Cord system makes selecting the right Keder Cord easy. The figure below shows the inner Keder Cord sizes. If you are not finding what you need, we are ready to create custom orders. For inventoried items, cut yardage can be accommodated with a quote. For more unique keder orders, we offer a variety of sizes, specifications, fabrics, and features.



14.0 mm.	12.0 mm.	11.0 mm.	10.0 mm.	9.0 mm.	7.5 mm.	6.5 mm.	5.0 mm.	4.0 mm.	3.0 mm.	2.0 mm.
0.551 in.	0.427 in.	0.433 in.	0.393 in.	0.354 in.	0.295 in.	0.255 in.	0.196 in.	0.157 in.	0.118 in.	0.078 in.
35/64 in.	15/32 in.	7/16 in.	25/64 in.	23/64 in.	19/64 in.	1/4 in.	13/64 in.	5/32 in.	1/8 in.	5/64 in.
Gray	White	Yellow	Black	Purple	Blue	Green	Yellow	Orange	White	Red

KEDER FLAP



Single Flap

Single Flap Keder has a single-side flap that can be sewn or welded to the fabric or material.



Double Flap

Double Flap Keder has two flaps that “sandwich” the fabric, then all three layers are sewn or welded together.




Welded Flap

Welded Flap Keder has two flaps welded together, to create a stronger single flap that is sewn to your fabric.



Repair Keder


Repair Flap Keder has a large weld size and free flap to accommodate for damaged fabric/material for repair.



Double Keder

Double Keder has two keder PVC cords, welded in keder fabric, which can then connect two keder rails together.

THE BENEFITS OF DURAKEDER™



Fully Bonded Keder

Even if Cut, Fully Bonded Keder Adheres

Not Fully Bonded Cord Comes Loose Over Time

KEDER

Double Flap Keder




Size: 4 - 15 mm.
Unit Length: 200 yds.
Weld Size: 10 mm.
Flap Size: 4-6 mm. Keder = 20 mm.
7.5 - 15 mm. Keder = 30 mm.

Single Flap Keder



Size: 4 - 15 mm.
Unit Length: 200 yds.
Weld Size: 10 mm.
Flap Size: 6 mm. Keder = 25 mm.
7.5 - 8.5 mm. Keder = 20 mm.
11-13 mm. Keder = 30 mm.

Repair Flap Keder



Size: 8.5 -15 mm.
Unit Length: 100 yds.
Weld Size: 40 mm.
Flap Size: 30 mm.

Welded Flap Keder



Size: 6 - 8.5 mm.
Unit Length: 100 yds.
Weld Size: 20 mm.

Double Keder




Size: Custom
Unit Length: 100 yds.


Flat-Back Keder™



Size: 8.5 mm.
Unit Length: 100 yds.
Weld Size: 20 mm.




Standard Weave



Weight: 15 oz.
Unit Width: 68 in.
Transparency: Translucent
Color: White/White, Black/Black

Panama Weave




Weight: 19 oz.
Unit Width: 59 in.
Transparency: Blockout
Color: White/Black, Black/Black, Gray/Black

Berry Compliant



Weight: 19 oz.
Unit Width: 60 in.
Transparency: Blockout
Color: White/Gray

High Density Polyester (HDP)*




Weight: 11 oz.
Unit Width: 58 in.
Transparency: Blockout
Color: Black/Black
***For Indoor Use Only**

Anti-Wick™




Weight: 25 oz. (water resistant)
Unit Width: 59 in.
Transparency: Blockout
Color: White/White

2400™ Series



Weight: 24 oz.
Unit Width: 59 in.
Transparency: Blockout
Color: Gray/Black

3200™ Series



Weight: 32 oz.
Unit Width: 59 in.
Transparency: Blockout
Color: White/White, Black/Black

Keder fabric is most often used to make keder, which is used in conjunction with aluminum frames or other support structures to create strong and durable temporary or semi-permanent structures. Different fabrics may have different levels of strength, flexibility, and weather resistance, as well as different colors and finishes to suit your specific needs.

Keder Solutions also offers **fabric slitting services**. If your fabric is on a roll, **we can slit it to your desired width and re-roll it with reliable and fast turnaround**.

COATED VINYL FABRIC



PVC COATED - Translucent

ULTRA™ 1900

Weight: 19 oz.
Unit Width: 61, 98.5 in.
Unit Length: 100 yds.
Transparency: Translucent
Color: White/White

UL-1900



ULTRA™ 2200

Weight: 22 oz.
Unit Width: 59, 61 in.
Unit Length: 100 yds.
Transparency: Black-Blockout
Color: Yellow-Translucent
Color: Black/Black, Yellow/Yellow

UL-2200



PVC COATED - Blockout

ULTRA™ 1970

Weight: 19.7 oz.
Unit Width: 61, 98.5 in.
Unit Length: 100 yds.
Transparency: Blockout
Color: White/White, Gray/Gray,
Gray/Black

UL-1970



ULTRA™ 2300

Weight: 23 oz.
Unit Width: 61, 98.5, 115.5 in.
Unit Length: 100, 250 yds.
Transparency: Blockout
Color: White/White, Black/Black

UL-2300



ULTRA™ 2500

Weight: 25 oz.
Unit Width: 61, 88, 98.5, 115.5, 126 in.
Unit Length: 100, 250 yds.
Transparency: Blockout
Color: White/White, Silver/White,
Black/White


UL-2500



ULTRA™ 2800

Weight: 28 oz.
Unit Width: 61 in.
Unit Length: 100 yds.
Transparency: Blockout
Color: White/White

UL-2800



LAMINATED VINYL FABRIC




LAMINATE - Translucent

KS1000™

Weight: 10 oz.
Unit Width: 61, 136 in.
Unit Length: 100 yds.
Transparency: Translucent
Color: White, Black, Red, Green, Blue

KS-1000



KS1400™

Weight: 14 oz.
Unit Width: 61, 88, 90, 98, 104 in.
Unit Length: 100 yds.
Transparency: Translucent
Color: White, Black, Red, Yellow, Green, Blue

KS-1400



LAMINATE - Blockout

KS1400™

Weight: 14 oz.
Unit Width: 61, 88 in.
Unit Length: 100 yds.
Transparency: Blockout
Color: White

KS-1400-BO



KS1600™

Weight: 16 oz.
Unit Width: 61, 63, 98, 104, 136 in.
Unit Length: 100 yds.
Transparency: Blockout
Color: White, Black, Red, Yellow, Blue

KS-1600



KS1900™

Weight: 19 oz.
Unit Width: 61 in.
Unit Length: 100 yds.
Transparency: Blockout
Color: White

KS-1900-BO



DOUBLE BLOCKOUT

KS1800™

Weight: 18 oz.
Unit Width: 61, 63 in.
Unit Length: 100, 250 yds.
Transparency: Double Blockout
Color: White

KS-1800-DBO




Keder Solutions' laminate, PVC coated, keder, and transparent fabrics are engineered for strength, durability, and consistent performance across demanding applications. Manufactured to precise specifications and backed by strict quality control, our fabrics deliver reliable weldability, long service life, and a premium finish.

Most Keder Solutions Vinyl Fabrics are:



TRANSPARENT VINYL FABRIC



SUPERCLEAR™ 1600



SC-1600

Weight:
Unit Width:
Unit Length:

16 Gauge
54, 61 in.
50 yds.

SUPERCLEAR™ 2000



SC-2000

Weight:
Unit Width:
Unit Length:

20 Gauge
54, 61, 72 in.
50 yds.

SUPERCLEAR™ 3000



SC-3000

Weight:
Unit Width:
Unit Length:

30 Gauge
61, 72 in.
30 yds.

SUPERCLEAR™ 4000



SC-4000

Weight:
Unit Width:
Unit Length:

40 Gauge
61 in.
30 yds.

SUPERCLEAR™ 8000



SC-8000

Weight:
Unit Width:
Unit Length:

80 Gauge
61 in.
10 yds.



SINGLE ALUMINUM RAIL



8.5 mm. Straight Rail



85-SKR

Keder Compatibility: 6 - 8.5 mm.
Unit Length: 196.85 in. (5 m.)
Material: Aluminum, Anodized

8.5 mm. 90° Rail



85-SKR-90

Keder Compatibility: 6 - 8.5 mm.
Unit Length: 196.85 in. (5 m.)
Material: Aluminum, Anodized

8.5 mm. Square Rail



85-SSQ

Keder Compatibility: 7.5 - 8.5 mm.
Unit Length: 120 in. (3.05 m.)
Material: Aluminum, Anodized

13 mm. Straight Rail



13-SKR

Keder Compatibility: 8.5 - 13 mm.
Unit Length: 196.85 in. (5 m.)
Material: Aluminum, Anodized

13 mm. 90° Rail



13-SKR-90

Keder Compatibility: 8.5 - 13 mm.
Unit Length: 196.85 in. (5 m.)
Material: Aluminum, Anodized

15 mm. Straight Rail



15-SKR

Keder Compatibility: 8.5 - 15 mm.
Unit Length: 196.85 in. (5 m.)
Material: Aluminum, Anodized

17 mm. Straight Rail



17-SKR

Keder Compatibility: 10 - 15 mm.
Unit Length: 196.85 in. (5 m.)
Material: Aluminum, Anodized

18 mm. 90° Rail



18-SKR-90

Keder Compatibility: 10 - 15 mm.
Unit Length: 196.85 in. (5 m.)
Material: Aluminum, Anodized

Rail End Caps




END CAP


Size: Available for all Rails
Units: 25 Per Set
Color: White, Black, Grey

All rails can be cut per customer request.

AWNING RAIL & DOUBLE ALUMINUM




5 mm. Awning Rail



50-AWR-MF

Keder Compatibility: 4 - 6 mm.
Unit Length: 93 in. (2.36 m.)
Material: Aluminum, Mill


8.5 mm. Awning Rail



85-AWR-MF

Keder Compatibility: 7.5 - 8.5 mm.
Unit Length: 93 in. (2.36 m.)
Material: Aluminum, Mill

8.5 mm. 90° Awning Rail



85-AWR-90-MF

Keder Compatibility: 7.5 - 8.5 mm.
Unit Length: 93 in. (2.36 m.)
Material: Aluminum, Mill

9 mm. Double Rail



90-KR-DUB

Keder Compatibility: 7.5 - 11 mm.
Unit Length: 196.85 in. (5 m.)
Material: Aluminum, Anodized

12 mm. 2.0" Double Rail



12-KR-20DUB

Keder Compatibility: 10 - 12 mm.
Unit Length: 196.85 in. (5 m.)
Material: Aluminum, Anodized

13 mm. 3.0" Double Rail



13-KR-30DUB

Keder Compatibility: 10 - 13 mm.
Unit Length: 196.85 in. (5 m.)
Material: Aluminum, Anodized

End Cap for 9 mm. Double Rail



END CAP-90

Size: Works with 9 mm Double Rail
Units: 10 Per Set
Color: Grey


13 mm. 3.5" Double Rail



13-KR-35DUB

Keder Compatibility: 10 - 13 mm.
Unit Length: 196.85 in. (5 m.)
Material: Aluminum, Anodized

19 mm. Double Rail




19-KR-DUB

Keder Compatibility: 10 - 15 mm.
Unit Length: 240 in. (6.1 m.)
Material: Aluminum, Mill

*See Page 17 for our 19mm. Rail Cap

All rails can be cut per customer request.

PVC RAILS




7.5 mm. Single Keder Rail



75-KR-FLT-WHT

Keder Compatibility: 6 - 7.5 mm.
Unit Length: 93 in. (2.36 m.)
Material: PVC
Color: White

7.5 mm. Double Rail



75-PVC-DUB

Keder Compatibility: 7.5 mm.
Unit Length: 93 in. (2.36 m.)
Material: PVC
Color: White

7.5 mm. Double Keder Rail



KR-DPVC

Keder Compatibility: 5 - 7.5 mm.
Unit Length: 116 in. (2.95 m.)
Material: PVC
Color: White


7.5 mm. Triple Keder Rail



KR-TPVC

Keder Compatibility: 5 - 7.5 mm.
Unit Length: 93, 144, 192 in.
(2.36, 3.66, 4.88 m.)
Material: PVC
Color: White

8.5 mm. PVC Awning Rail



85-AWR-PVC

Keder Compatibility: 7.5 - 8.5 mm.
Unit Length: 90, 93, 96 in.
(2.29, 2.36, 2.44 m.)
Material: PVC
Color: White, Black

8.5 mm. Radius Rail



85-KR-RAD

Keder Compatibility: 6 - 7.5 mm.
Unit Length: 93, 96, 120 in.
(2.36, 2.44, 3.05 m.)
Material: PVC
Color: White, Black

8.5 mm. Sewable Flange Rail



85-KR-RF

Keder Compatibility: 6 - 8.5 mm.
Unit Length: 93, 96 in. (2.36, 2.44 m.)
Material: PVC
Color: White, Black

9 mm. Double Rail



90-PVC-DUB

Keder Compatibility: 7.5 - 8.5 mm.
Unit Length: 196.85 in. (5 m.)
Material: PVC
Color: White

Don't See What You Need?

Keder Solutions employs expert engineers and production staff who are ready to create **custom PVC** or **aluminum extrusions** to meet your specific needs.

Contact Us today for more information!

All rails can be cut per customer request.

CROCODILE HANGERS®



Ball Hook - Screw Style



SGH-BHS

Size: 8, 9, 12 mm.
Units: 100 Per Bag
Color: Black, White

Ball Hook - Rivet Style



SGH-BHR

Size: 8, 9, 12 mm.
Units: 100 Per Bag
Color: Black, White

Bar Slider - Screw Style



SGH-BSS

Size: 10 mm.
Units: 100 Per Bag
Color: White

Bar Slider - Rivet Style



SGH-BSR

Size: 10 mm.
Units: 100 Per Bag
Color: White

Bent Hook - Screw Style



SGH-KBH-S

Size: 9, 12 mm.
Units: 100 Per Bag
Color: White

Bent Hook - Rivet Style



SGH-KBH-R

Size: 9, 12 mm.
Units: 100 Per Bag
Color: White

Crocodile Hangers™ are the ultimate solution for hanging your tent sidewalls, curtains, awnings, and banners. These versatile plastic hangers are designed to slide easily into keder rails or structure frames, allowing you to quickly and securely hang your materials without the need for complicated hardware or tools. With an impressive 70% increase in strength over other hangers on the market, these hangers have been rigorously tested and confirmed by outside labs to be the strongest and most durable option available.

Calott-Slider - Screw Style



SGH-CSS

Size: 8, 9, 12 mm.
Units: 100 Per Bag
Color: Black, White

Calott-Slider - Rivet Style



SGH-CSR

Size: 8, 9, 12 mm.
Units: 100 Per Bag
Color: Black, White

CROCODILE HANGER®

keder
SOLUTIONS



Keder Track Roller - Screw Style



SGH-RKS

Track Compatibility: 17 - 18 mm.
Units: 100 Per Bag
Color: Black, White

Keder Track Roller - Rivet Style



SGH-RKR

Track Compatibility: 17 - 18 mm.
Units: 100 Per Bag
Color: Black, White

Square Track Roller - Screw Style



SGH-RSS

Track Compatibility: 15 mm.
Units: 100 Per bag
Color: Black, White

Square Track Roller - Rivet Style



SGH-RSR

Track Compatibility: 15 mm.
Units: 100 Per Bag
Color: Black, White

Straight Hook - Screw Style



SGH-SHS

Size: 9, 12 mm.
Units: 100 Per Bag
Color: White

Straight Hook - Rivet Style



SGH-SHR

Size: 9, 12 mm.
Units: 100 Per Bag
Color: White

HANGTITE™ HANGERS

HangTite™ Hanger



HTH-WHT

Units: 100 Per Bag
Color: White

HangTite™ Grommet Hangers



HTH-WHT-SH

Units: 100 Per Bag
Color: White

HangTite™ Hangers eliminate common problems associated with tent sidewalls and banners, such as pinholes caused by sharp metal edges on other hooks and discoloring rust stains.

These hangers securely and swiftly hang your sidewall or banner, while sparing the installer's hands.

HANGERS & HOOKS



Bent Hook



KHB-STEEL

Size: 11, 16 mm.
Units: 100 Per Bag
Material: Steel, Zinc Plated

Rail Hook



RAH-STEEL

Size: 12 mm.
Units: 100 Per Bag
Material: Steel, Zinc Plated

Roller Hook



ROH-STEEL

Track Compatibility: 4.5 mm.
Units: 100 Per Bag
Material: Steel, Zinc Plated

Slot Ring Holder



SLH-STEEL

Ring Compatibility: 6 mm. or smaller
Units: 100 Per Bag
Material: Steel, Zinc Plated

Straight Hook



KHS-STEEL

Size: 11, 16 mm.
Units: 100 Per Bag
Material: Steel, Zinc Plated

T-Hanger



T-HANGER

Size: 11 mm.
Units: 100 Per Bag
Material: Nylon

Nylon Backplate



BACK-PLATE-ASMBLY

Size: Fits All Steel Hooks
Units: 100 Per Bag
Color: Silver, White

Carabiner



CARABINER

Size: 3/16 in. x 1.97 in.
Units: 25 Per Set
Material: Stainless Steel



ADHESIVES - HOOK & LOOP



Repair Tape

*Other widths available upon request.



RT-LAM-B
RT-LAM
RT-COA-B

Available in: Laminate Blockout, Translucent, or Coated Blockout

Unit Width: 6 in.
Unit Length: 50 ft.

Hemming Tape



BHT

Unit Width: 1, 1.5 in.
Unit Length: 36 yds.

Hook & Loop

Both sides (hook side and loop side) sold separately.



NHK, NLP | NHK-ADH, NLP-ADH

Sew On	Adhesive
Unit Width: 1, 2, 3, 4 in.	1, 2 in.
Unit Length: 50 yds.	25 yds.
Color: Black, White	Black, White

VYNObond™ VINYL CEMENT

VYNObond™ Vinyl Cement is an industrial strength adhesive designed to bond textile materials for durable repair and maintenance applications. Ideal for residential and commercial projects, it's perfect for sealing, patching, and creating strong, waterproof repairs.

VYNObond™ applies smoothly, remains flexible, and delivers reliable performance across any project in any industry.

VYNObond™ Vinyl Cement



Size: 4, 8, 16, 32 fl. oz.
Units: Single Can
All cans include a brush inside the cap.
Bulk pricing available upon request.

- Quick & Easy to Use, Applies In Minutes
- Strong & Flexible in Weather Extremes
- Great for Repairs and Underwater Patches
- Used to Bond: Leather, Metal, Rigid Plastics, Synthetic Fabrics, Urethane, and Wood
- Toluene-Free

Featured Markets & Applications

VYNObond™ Vinyl Cement is versatile across multiple industries and applications, including:

- Agricultural & Greenhouse
- Awnings & Covers
- Banners & Soft Signage
- Boat & Vehicle Covers
- Bounce Houses & Inflatables
- Construction & DIY
- Marine & Yacht
- Sports Equipment Covers
- Tarps & Tarpaulins
- Tent & Temporary Shelters
- Upholstery & Seating
- Vinyl Pool Liners
- Watersport Inflatables

ACCESSORIES



Cam Buckle



CAMBUCK

Size: 1, 2 in.
Units: 25 Per Set
Material: Die Cast Zinc
Color: Silver

Alligator Buckle



ABUCK

Size: 1, 1.5 in.
Units: 25 Per Set
Material: Stainless or Nickel Plated Steel
Color: Black, Silver

Side Release Buckle



BUCK-SR

Size: 1 in.
Units: 25 Per Set
Material: Plastic
Color: Black, White

Snap Hook



SNP-HOOK

Size: 1 in. (25 mm.)
Units: 25 Per Set
Material: Stainless Steel

Webbing



WEB

Unit Width: 1, 1.5, 2 in.
Unit Length: 100 yd.
Color: Black, White
*Also available in Berry and weldable

Steel D Rings



D RING

Size: 1, 1.5, 2 in.
Units: 100 Per Set
Material: Stainless Steel, Zinc-Plated Steel, Nickel-Plated Steel

Steel O Rings



O RING

Size: 1, 1.5 in.
Units: 100 Per Set
Material: Zinc-Plated Steel, Nickel-Plated Steel

Heavy-Duty Ring Holder Clip



RING-HOLDER

Sandwiches your fabric and secures with rivets or can be screwed to an alternative surface.
Units: 25 Per Set
Material: Zinc-Plated Steel

Ring Holder Clip



RING HOLDER CLIP

Designed for suspending Steel Rings and can be fastened to various materials.
Units: 25 Per Set
Material: Zinc-Plated Steel

ACCESSORIES



Rivet Setting Plates



RIVET PLATE-PLASTIC
RIVET PLATE-STEEL

Units: 1 Piece
Material: Nylon or Steel

Rivet Setting Dies



RIVET DIE-UPPER
RIVET DIE-LOWER

This rivet setting die is designed for the HT-10 or HT-200 hydraulic powered machine for setting grommets and rivets.

Units: 1 Piece
Material: Steel

Keder Rail Clamp



KRC-120, KRC-MINI

Size: 4.75 in. Large, 2 in. Mini
Units: 1 Piece
Material: Steel

Keder Bullet



KBB, KBP

Size: Brass: 8.5, 11, 13 mm.
Plastic: 13 mm.
Units: 25 Per Set
Material: Brass or Plastic

Keder Splice



KB-SPLICING

Size: 8.5 mm.
Units: 25 Per Set
Material: Brass
**Compatible with 10 mm and larger Keder.*

Keder Drill Guide with Drill Bit



KDG

Size: 11, 13 mm.
Units: 1 Set
Material: Steel


Rail Cap for 19mm. Double Rail



CAP-19-KR

Size: Works with 19 mm Double Rail
Unit Length: 140 ft.
Material: PVC

Large Turn Button



TRN-BUTN-LG

Nylon polyamide turntable button.

Units: 25 Per Set
Color: Grey, White

Large Turn Button Grommet & Backplate



TRN-BUTN-GROMMET
TRN-BUTN-BACKPLATE

Size: Fits Large Turn Button
Units: 25 Per Set
Material: Nickel-Plated

POOL COVER ACCESSORIES



At Keder Solutions, we supply high-quality pool cover accessories for both solid and mesh surface cover applications. All of our pool cover accessories are built to be durable and keep a swimming pool area safe. Whether you're covering an above ground, inground, or commercial pool, we have the right accessories for your project. Be sure to check out pages 15 and 16 for adhesives, webbing, and more!

Brass Beauty Flange



POOL-FLA

Size: 1-5/8 in. Fits 3/4 in. Hole
Units: 10 Per Set
Material: Brass

Brass Concrete Anchor



POOL-CAS

Size: 1-5/8 in. Fits 3/4 in. Hole
Units: 10 Per Set
Material: Brass

Brass Wood Anchor



POOL-WAS

Size: 1-5/8 in. Fits 3/4 in. Hole
Units: 10 Per Set
Material: Brass


Spring with Ring or without Ring



POOL-SPRING

Size: 8 in. x 1.5 in.
Units: 1 Each
Material: Stainless Steel

Spring Removal Tool



POOL-SRT

Units: 1 Each
Material: Galvanized Steel

Spring Cover



POOL-FLEXTUBE-1.25

*Other sizes & colors available upon request.
Size: 6 in. x 1.25 in.*
Units: 1 Each
Material: PVC
Color: Clear, Smoke*

Grommets



GROMMET

Size: 2, 3, and 4
Units: 25 Per Set
Material: Nickel-Plated

Pool Cover Wear Strip



POOL-WEARSTRIP-BLK

*Other sizes & colors available upon request.
Size: 22 mm. x 4 mm.*
Unit Length: 330 ft. Spool
Material: Black PVC



POOL-CGT

Size: 9, 15 in.
Units: 1 Each
Material: Aluminum

Menax® Snap Fasteners



MENAX SNAP FASTENER

Units: 25 Per Set
Material: PVC
Color: Black, White

Menax® Machine Screw Post



MENAX SCREW MACHINE

Size: 8, 12, 20 mm.
Units: 25 Per Set
Material: Brass, Nickel Plated

Menax® Wood Screw Post



MENAX SCREW WOOD

Size: 12 mm.
Units: 25 Per Set
Material: Brass, Nickel Plated

Menax® Driver Key



MENAX DRIVER KEY

Units: 1 Unit
Material: Steel

Menax® Plastic Post



MENAX POST

Units: 25 Per Set
Material: PVC
Color: Black, White

Menax® Stainless Steel Post



Collar may be sold separately

MENAX SCREW SS

Size: 3 mm. x 40 mm.
Units: 25 Per Set
Material: Stainless Steel

Menax® Assembly Wrench



MENAX WRENCH

Units: 1 Unit
Material: Steel

Menax® Hand Key




MENAX HAND KEY

Units: 1 Unit
Material: Steel

DRIZIP™ ZIPPER SYSTEM

The DriZip™ Zipper is the ideal solution for a locked-in, water-tight seal. Our zipper technology easily opens and closes to create a secure closure for your structure. It can be welded, stitched, or bonded with glues and adhesives.

DriZip™ Zipper



DRIZIP

Length: 150 ft. (per side)
Material: PVC

DriZip™ Zipper Slide



DRIZIP-SLIDE

Units: 1 piece
Material: Nickel-Plated Steel


DYESUB FABRIC - Warp Knitted



AeroMesh™ 3.4 oz.

Weight: 3.4 oz. Printable
Shrinkage: <2%
Unit Width: 70, 92, 126 in.
Unit Length: 110, 220 yds.
Ink Printability: Dye Paper
Dye Direct

KM-AEROMESH-3.4



DisplayTex™ 5.6 oz.

Weight: 5.6 oz. Printable
Shrinkage: <2%
Unit Width: 126 in.
Unit Length: 110 yds.
Ink Printability: Dye Paper
Dye Direct

KM-FAB-5.6DT



Nexus Blackback™ 7.9 oz.

Weight: 7.9 oz. Printable
Shrinkage: <3%
Unit Width: 126, 196 in.
Unit Length: 110 yds.
Ink Printability: Dye Paper
Dye Direct
Latex, UV

KM-FAB-7.9BB-PRO



Quantum Greyback™ 9.7 oz.

Weight: 9.7 oz. Printable
Shrinkage: <2%
Unit Width: 126, 196 in.
Unit Length: 55 yds.
Ink Printability: Dye Paper
Dye Direct

KM-FAB-9.7GB



PVC FABRIC

PVC Banner Matte 13 oz.

Weight: 13 oz. Printable
Unit Width: 126, 196 in.
Unit Length: 55 yds.
Ink Printability: Latex, SOL,
UV, ECO SOL

KM-PVC-13M



PVC Banner Matte Blackback 13 oz. (Frontlit)

Weight: 13 oz. Printable
Unit Width: 126, 196 in.
Unit Length: 55 yds.
Ink Printability: Latex, SOL
UV, ECO SOL

KM-PVC-13M-BB



PVC Banner DS Blockout 18 oz.

Weight: 18 oz. Printable
Unit Width: 126 in.
Unit Length: 55 yds.
Ink Printability: Latex, SOL
ECO SOL, UV

KM-PVC-18M



PVC Mesh 8 oz.

Weight: 8 oz. Printable
Unit Width: 126, 196 in.
Unit Length: 55,110 yds.
Ink Printability: Latex, SOL
ECO SOL, UV

KM-PVCMESH-8



Keder MacroPrint™ is a division of Keder Solutions catering specifically to the Sign, Banner, and Printing industries. Backed by decades of hands-on experience, our team brings deep industry knowledge to every aspect of the Print-to-Finish process, empowering our clients to produce outstanding results with confidence and precision.

PVC Mesh 8 oz. + Liner

Weight: 11 oz. Printable
Unit Width: 126 in.
Unit Length: 55 yds.
Ink Printability: Latex, SOL
ECO SOL, UV

KM-PVCMESH+LIN-8



FRAMES & FINISHING

FRAMES


SEG ExpoFrame™

SEG-PVC-16

A lightweight PVC rail system compatible with flat keder, it delivers the same professional finish as aluminum at 40% less cost.

Keder Compatibility: 3 mm. Flat Keder
Unit Length: 196.85 in.
Material: PVC
Color: Gray

Connecting corner piece also available for purchase.
Connectors are sold in sets of 25.



FLAT KEDER AND FINISHING SUPPLIES

Silicone Flat Keder

Available sizes and colors:

9 mm. x 3 mm. (White)
12 mm. x 2.65 mm. (White)
12 mm. x 3 mm. (White)
14 mm. x 3 mm. (White)

Sold in spools of 450, 500, and 1000 ft.

Powder and Talc Free



FKE-SCN

Zipper By The Mile

Color: White
Unit: Continuous zipper sold in 50 yd. rolls



PVC Flat Keder

Available sizes and colors:

9 mm. x 3 mm. (White)
12 mm. x 1.5 mm. (White)
12 mm. x 2.65 mm. (White)
12 mm. x 3 mm. (White, Clear)
14 mm. x 3 mm. (White, Clear)

Sold in spools of 450, 500, and 1000 ft.



FKE-PVC

Grommets

Material: Nickel
Color: Silver
Size: #2
Unit: Box of 500/each*
Case of 5000/each*

*Each is flat washer & grommet



GROMMET-2-NICKEL

See Keder Solutions accessories, on pages 15-17, for more finishing supplies, including webbing and hook & loop.

Redefining Large Format Excellence, MacroPrint offers:

- Expertise:** Decades of industry knowledge across all major print technologies (Latex, UV, Solvent, DyeSub).
- Versatility:** Premium solutions for banners, wall coverings, and grand-format applications.
- Efficiency:** Three U.S. warehouses for fast, reliable, nationwide shipping.
- Support:** Dedicated technical guidance to ensure seamless print-to-finish operations.

DUCTING



CoolFlex™ Standard

Fabric Type: Translucent Laminated PVC
 Fabric Weight: 10 oz. (14oz. Upon Request)
 Temperature: -20° to 180° F
 Length: 25 ft.
 Diameter: 12-24 in.
 Pitch: 3-7 in.
 Wire: Steel
 Colors: 10 oz. White (14 oz. Yellow, Blue)



CoolFlex™ Infrared Blockout

Fabric Type: Blockout Laminated PVC
 Fabric Weight: 14 oz.
 Temperature: -20° to 180° F
 Length: 25 ft.
 Diameter: 12-24 in.
 Pitch: 3-7 in.
 Wire: Steel
 Colors: White



CoolFlex™ Insulated

Fabric Type: Double-Layered Translucent Laminated PVC with Anti-Sweat Insulation
 Fabric Weight: 2 Layers of 10 oz. + Insulation
 Temperature: -20° to 180° F
 Length: 25 ft.
 Diameter: 12-24 in.
 Pitch: 6 in.
 Wire: Steel
 Colors: White



DynaFlex™ Hi-Temp Ventilation - Silicone

Fabric Type: Silicone
 Fabric Weight: 14 oz.
 Temperature: Up to 550° F
 Length: 25 ft.
 Diameter: 12-24 in.
 Pitch: 4-7 in.
 Wire: Steel
 Colors: White, Black




DynaFlex™ Hi-Temp Ventilation - Polywoven

Fabric Type: Polywoven
 Fabric Weight: 10 oz.
 Temperature: Up to 350° F
 Length: 25 ft.
 Diameter: 12-24 in.
 Pitch: 4-7 in.
 Wire: Steel
 Colors: Black



LayFlat Ducting™

Fabric Weight: 4 mil.
 Temperature: Up to 150° F
 Length: 250 ft. Rolls
 Diameter: 14, 20 in.
 Colors: Clear



CUSTOM FINISHES

Machine End



Machine End

- Flexible double layer of fabric.
- Attaches to duct, Splitter, panel, or cuff.

Hoop Cuff



Hoop Cuff

- Sleek finished look.
- Wire ring enclosed.
- Interlocking duct ends.

Belt Cuff



Belt Cuff

- Built-in buckle.
- Snug fit, easy release.
- 1" Polyester webbing.
- Nickel-plated buckles.

Pin-Lock Cuff



Pin-Lock Cuff

- Easy snap-in and snap-out.
- Pin & slot locking system design.

Worm-Gear Cuff



Worm-Gear Cuff

- Stainless steel clamp enclosed in fabric.
- Adjustable install into a plenum, heater, or chiller.

ThermoShield™ Steel Panels & U-Channels

ThermoShield™ Steel Panels

Thickness: 1.375 in.
Height: 18, 24 in.
Length: 190 in.
Outer Panel Material: Steel, Powder-Coated
Inner Panel Material: High-Density CFC-Free Polyurethane Foam
Color: White (*Additional Colors Available Upon Request*)

ThermoShield™ Steel Panel Kits Include

- Insulated Steel Panels
- U-Channel Rails
- Astragals

Features


- Tongue and groove construction for a secure fit.
- Easy to install.
- Tightly sealed interlocking section joints.
- Excellent thermal efficiency.
- Wind and water resistance.
- Long lasting durability.



U-Channel Rails

Length: 149, 150 in. (3.78, 3.81 m.)
Inside Channel Width: 1.535 in. (39 mm.)
Channel Depth: 2.67 in. (68 mm.)
Material: Aluminum, Anodized

Available for Middle & Corner Bays.



Plenums & Ceiling Panel Kits

Ceiling Panel Kits

Panel Dimensions: 24 in. x 24 in.
Material Type: Plastic, with Grooved Edges
Hole Diameter: 12, 14, 16, or 20 in.
Panel Color: White
Included Duct: 8 ft. CoolFlex™ Standard with Belt Cuff Ends



Plenums

Panel Style: Single, Double
Material Type: Steel, Powder-Coated
Hole Diameter: 12 or 20 in.
Panel Color: White



Triple Vertical Plenum

Dimensions: 26.49 in. W x 78 in. H (Adjustable)
Material Type: Steel, Powder-Coated
Hole Diameter: 20 in.
Panel Color: White
Connections: Input Duct, Output Duct



RiteChoice™ Ducting is a leading U.S. manufacturer of flexible ducting and temporary climate control solutions built for performance, reliability, and efficiency, available in a range of customizable sizes and configurations. From industrial flexible ducts to plenums and ThermoShield™ Steel Panel Kits, we deliver products designed to keep air moving. With expert support, RiteChoice™ Ducting provides solutions throughout North America and Canada with **airflow you can count on**.





Building Connections. Lasting Results.

GET STARTED TODAY!

(888) 727-7050

SALES@KEDERSOLUTIONS.COM

KEDERSOLUTIONS.COM